Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2508	authenticat\$3 with (device or application) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:28
L2	7	authenticat\$3 with (device or application) and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:29
L3	3	authenticat\$3 with (device) and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:29
L4	391	authenticat\$3 adj2 (device) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:29
L5	46	(combin\$3) with ("ip address" or "ip header") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:32
L6	1	(combin\$3) with ("ip address" or "ip header") with (device adj2 (id or identification or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:33
L7	1	(combin\$3) with ("ip address" or "ip header") with (device near2 (id or identification or "serial no" or	US-PGPUB; USPAT	OR	ON	2004/12/16 09:34
		"serial number")) and @ad<"19981101"				
L8	1	(combin\$3) with ("ip address" or "ip header") with (device with (id or identification or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:34
L9	1	(combin\$3) with ("ip address" or "ip header") same (device with (id or identification or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	ÔR	ON	2004/12/16 09:35
L10	15	(combin\$3 or unit\$3 or add\$3 or join\$3) with ("ip address" or "ip header") same (device with (id or identification or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:38
S5		US-4896319-\$.DID.	US-PGPUB; USPAT	OR	ON	2004/12/09 14:46
S7	61	("5838812" "5724423" "5175766")".pn"	US-PGPUB; USPAT	OR	ON	2004/12/09 14:49
S9	1	("5478994").PN	US-PGPUB; USPAT	OR	OFF	2004/12/09 14:52
S10	6	(("5175766") or ("5838812") or ("4896319") or ("5724423") or ("5661806") or ("5577121")).PN.	US-PGPUB; USPAT	OR	OFF	2004/12/09 14:52
S11	4	(("5838812") or ("5724423") or ("4896319") or ("5175766")).PN.	US-PGPUB; USPAT	OR	OFF	2004/12/09 15:10
S12	181	380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 14:01

S14	23	(device or "set-top box" or "set top box") with ("serial no" or "serial	US-PGPUB; USPAT	OR	ON	2004/12/09 15:24
		number" or id or identification) and 380/241.ccls. and @ad<"19981101"	-1-0		,	
S15	5	(device or "set-top box" or "set top box") near3 ("serial no" or "serial number" or id or identification) and	US-PGPUB; USPAT	OR	ON	2004/12/09 15:27
+1		380/241.ccls. and @ad<"19981101"				# = = = = = = = = = = = = = = = = = = =
S16	9588	(device or "set-top box" or "set top box") near3 ("serial no" or "serial number" or id or identification) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 15:28
\$17	100,	(device or "set-top box" or "set top box") near3 ("serial no" or "serial number" or id or identification) with (encryption) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 15:37
S22	3677	"message authentication" or mac with network and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 15:55
S24	2063	"message authentication" or mac with network with ("device id" or "device identification" or "serial no" or "srial number") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 15:56
S25	2053	"message authentication" or mac	US-PGPUB;	OR	ON	2004/12/09 15:57
323	2033	with network with ("device id" or "device identification" or "serial no" or "srial number") and encryption and @ad<"19981101"	USPAT	OK .	OI4	2004/12/09 15.57
S26	2053	"message authentication" or mac with network with ("device id" or "device identification" or "serial no" or "srial number") with encryption and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 15:57
S27	2053	"message authentication" or mac with network with ("device id" or "device identification" or "serial no" or "srial number") with encryption and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 15:57
S31	10	("message authentication" or mac) with network with ("device id" or "device identification" or "serial no" or "srial number") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:07
S32	22	("message authentication" or mac) with ("device id" or "device identification" or "serial no" or "srial number") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:12

S34	3	(message adj2 generat\$3) with ("device id" or "device identification" or "serial no" or "srial number") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:14
S36	1	(pc or computer) with ("card reader") with ((smart\$1card or smartcard) with (processor or mcu	US-PGPUB; USPAT	OR	ON	2004/12/09 16:22
-		or microprocessor)) and @ad<"19981101"	: (A)	lan in the		
S37	7	("card reader") with ((smart\$1card or smartcard) with (processor or mcu or microprocessor)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:22
S38	3 1	"5828851".pn.	US-PGPUB; USPAT	OR	ON	2004/12/10 15:09
S39	3	secure adj2 message and 380/241. ccls. and @ad<"19981101."	US-PGPUB; USPAT	OR	ON	2004/12/10 15:09
S41	1°	("device id" or "device identification" or "serial no" or "srial	US-PGPUB; USPAT	OR	ON	2004/12/10 15:38
1. 5		number") same("application id" or "application identif") and @ad<"19981101"				
S42	245	network with ("device id" or "device identification" or "serial no" or "srial number") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:38
S44	10	network with ("device id" or "device identification" or "serial no" or "srial	US-PGPUB; USPAT	OR	ON	2004/12/10 15:46
		number") with (mac or "message authentication code" or "keyed hash") and @ad<"19981101"			: a: 1	ta. 12.44 y.
S46	0	"secure message" same ("device id" or "device identification" or "serial no" or "srial number") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:47
S47	11193	(combin\$3 with (message or address)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON.	2004/12/10 15:48
S48	22	(combin\$3 with (message or address)) and 380/241 and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 13:23
S49	Ö,	(message adj2 identification) with (integrity with confidentiality with (source adj2 authenticat\$3))and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:52
S50	0	(message adj2 identification) same (integrity with confidentiality with (source adj2 authenticat\$3))and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:52

S51	0	(message adj2 identification) same ((mac or "message authentication") with (source adj2 authenticat\$3))and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:52
S52	17	message with (source adj2- authenticat\$3)and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:26
S53	29	713/154.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:28
S54	144	(transmit\$3 and receive\$3) with (secure near3 (message or packet or data)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:30
S55	15	(transmit\$3 and receive\$3) with (secure near3 (message or packet or data)) with network and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:31
S 56	105	(transmit\$3 and receive\$3) with ((message or packet or data) near3 identification) with network and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:32
S57	0	(message adj2 identification) with (online or internet) with (secure adj2 transaction) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 08:59
S58	0	(message adj2 identification) with ((online or internet) with transaction) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 08:53
S59	0	(combin\$3 with (address with (device adj2 (id or identification))) with (application adj2 (id or identification)) with (message adj2 block)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 08:58
S60	1	(combin\$3 with (address with (message adj2 block))) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 09:11
S61	93	(online or internet) with (secure adj2 transaction) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:47
S62	- 0	(online or internet) with (secure adj2 transaction) with (combin\$3 near3 (address with (message adj2 block)))and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 09:00
S63	12	(secure with (message adj2 block)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 09:12
S64	0	(generat\$3 with ("secure message block")) with (combin\$3 near3 address) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:09

S65	0	(generat\$3 with ("secure message block")) with address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:25
S66	0	(generat\$3 with ("secure message block")) same address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:10
S67	0	("secure message block") same address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:10
S68	317	(" message block") same address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:11
S69	0	(" message block") with (combin\$3 near3 address) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:11
S70	169	(" message block") with address and @ad<"19981101"	US-PGPUB; USPAT	ÓR	ON	2004/12/13 11:11
S71	1	(" message block") with address with (device with (id or identification or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:13
S72	2	(" message block") with address same (device with (id or tidentification or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:14
S73	83	(secure with (("credit card" or pos or "point of sale" or ecommerce) near3 transaction)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:16
S74	32	S73 and (device with (id or identification or "serial no" or "serial number"))	US-PGPUB; USPAT	OR	ON	2004/12/13 11:16
S75	0	(ecommerce with (integrity and confidentiality)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:27
S76	0	(ecommerce same (integrity and confidentiality)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:27
S77	89	(message same (integrity and confidentiality)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:27
-S78	56	(message with (integrity and confidentiality)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 11:59
S79	0	("secure message block") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:00
S80	26	(secur\$3 with "message block") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:09
S81	0	(secur\$3 with "message block") with address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:00

S82	0	(secur\$3 with "message block") with "network address" and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:01
S83	0	(secur\$3 with "message block") same "network address" and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:01
S84	0	(secur\$3 with "message block") and "network address" and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:01
S85	Ó	(online or internet) with (secure adj2 transaction) with (("addressing data") with "destination address" with "source address") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:11
S86	0	(online or internet) with (secure adj2 transaction) with (("addressing data")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 12:11
S87	2	(online or internet) with (secure adj2 transaction) with (("address")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 13:50
S88	121	(online or internet) with (secure\$3 with (transmit\$3 or receiv\$3)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 13:51
S89		(online or internet) with (secure\$3 with (transmit\$3 or receiv\$3)) with message with address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 13:53
S90	1	(online or internet) with (secure\$3 with (transmit\$3 or receiv\$3)) with (message or packet or data) with address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 13:53
S91	50	(online or internet) with (secure\$3 with (transmit\$3 or receiv\$3)) with (message or packet or data) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 13:54
S92	13	(combin\$3 with ("address data" or address or ((source or destination) near3 address))) and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 14:07
\$93	13	(combin\$3 with ("address data" or address or "packet address" or ((source or destination) near3 address))) and 380/241 ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 14:20
S94	8070	(combin\$3 with ("address data" or address or "packet address" or ((source or destination) near3 address))) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 14:08

S95	35	(combin\$3 with ("address data" or address or "packet address" or ((source or destination) near3 address))) and 713/200-201.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 14:21
S96	13	(combin\$3 with ("address data" or address or "ip address" or "packet address" or ((source or destination) near3 address))) and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 14:20
S97	35	(combin\$3 with ("address data" or address or "ip address" or "packet address" or ((source or destination) near3 address))) and 713/200-201. ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:44
S98		"5838812".pn.	US-PGPUB; USPAT	OR	ON	2004/12/13 15:27
S99	1	"5661806".pn.	US-PGPUB; USPAT	OR	ON	2004/12/13 15:36
S10 0	599	"ip header" and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:36
S10 1	0	S86 and S100	US-PGPUB; USPAT	OR	ON	2004/12/13 15:36
S10 2	274	"ip header" with address and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:37
S10 3	0	"ip header" with address and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:37
S10 4	35	(combin\$3 with ("address data" or address or "ip header" or "ip address" or "packet address" or ((source or destination) near3 address))) and 713/200-201.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:45
S10 5	0	(online or internet) with (secure adj2 transaction) with ("ip header" or "ip address") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:48
S10 6	0	(secure adj2 transaction) with ("ip header" or "ip address") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:48
S10 7	7	(secure adj2 transaction) same ("ip header" or "ip address") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:49
S10 8	181	380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/13 15:51
S10 9	4665	("addressing data" or "ip address" or "ip header") with ((source and destination) near3 address) and @ad<"19981101."	US-PGPUB; USPAT	OR	ON	2004/12/13 16:41

S11 0	0	("addressing data" or "ip address" or "ip header") with ((source and destination) near3 address) with (message near3 (authentication or integrity)) and @ad<"19981101."	US-PGPUB; USPAT	OR	ON	2004/12/13 16:42
S11 1	3	("addressing data" or "ip address" or "ip header") with ((source and destination) near3 address) same (message near3 (authentication or integrity)) and @ad<"19981101."	US-PGPUB; USPAT	OR	ON	2004/12/13 16:46
S11 2	4	("addressing data" or "ip address" or "ip header") with ((source and destination) near3 address) with (ecommerce or "electronic commerce" or pos) and @ad<"19981101."	US-PGPUB; USPAT	OR	ON	2004/12/13 16:48
S11 3	0	("addressing data" or "ip address" or "ip header") with ((source and destination) near3 address) with (ecommerce or "electronic commerce") and @ad<"19981101."	US-PGPUB; USPAT	OR	ON	2004/12/13 16:48
S11 4	0	("addressing data" or "ip address" or "ip header") with ((source and destination) near3 address) same (ecommerce or "electronic commerce") and @ad<"19981101.	US-PGPUB; USPAT	OR	ON	2004/12/13 16:48
S11 5	. 5	("addressing data" or "ip address" or "ip header") with ((source and destination) near3 address) same (ecommerce or "electronic commerce" or pos or "point of sale") and @ad<"19981101."	US-PGPUB; USPAT	OR	ON	2004/12/13 16:48
S12 1	61	("5838812" "5724423" "5175766")	US-PGPUB; USPAT	OR	ON	2004/12/14 13:11
S12 2	7	(combin\$3 or unite or join\$3) with (address or "ip address" or "ip header") with (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 13:17
S12 3	7	(combin\$3 or unite or join\$3) with (address or "ip address" or "ip header" or ((source or destination) near3 address)) with (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 13:18

S12 4	1	(combin\$3 or unite or join\$3) with ("ip address" or "ip header" or ((source or destination) near3 address)) with (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 13:19
S12 5	1	(combin\$3 or unite or join\$3) with ("ip address" or "ip header" or ((source or destination) near3 address)) same (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 14:03
S12 6		(combin\$3 or unite or join\$3) with ("ip address" or "ip header" or ((source or destination) near3 address)) same (device near3 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 13:40
S12.7	15	(combin\$3 or unite or join\$3 or add\$3) with ("ip address" or "ip header" or ((source or destination) near3 address)) same (device near3 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 14:19
S13 0	94	("ip address" or "ip header" or ((source or destination) near3 address)) same (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 14:07
\$13 1	5	("ip address" or "ip header" or ((source or destination) near3 address)) same (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101" and (380/241. ccls. or 713/200-201 ccls.)	US-PGPUB; USPAT	OR	ON	2004/12/14 14:09
S13 2	0	("ip address" or "ip header" or ((source or destination) near3 address)) same (device adj2 (id or identification or code or "serial no" or "serial number")) with (combin\$3 or join\$3 or "add together" or unite or "put together") and @ad<"19981101" and (380/241. ccls. or 713/200-201.ccls.)	US-PGPUB; USPAT	OR	ON	2004/12/14 14:10

S13 3	:	("ip address" or "ip header" or ((source or destination) near3 address)) same (device adj2 (id or identification or code or "serial no" or "serial number")) with (combin\$3 or join\$3 or "add together" or unite or "put together") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 14:10
S13 4	15	(combin\$3 or unite or join\$3 or add\$3 or integrate) with ("ip address" or "ip header" or ((source or destination) near3 address)) same (device near3 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101" "5478994".pn.	US-PGPUB; US-PGPUB; US-PGPUB;	OR OR	ON ON	2004/12/14 14:19
S13 6 S13	1	"5828851".pn. "5577121".pn.	US-PGPUB; USPAT US-PGPUB;	OR OR	ON ON	2004/12/14 14:32 2004/12/14 14:43
7 S13 8 S13 9	1	"5724423".pn. (combin\$3) with ("source address" or "destination address" or "ip address" or "ip header") with (device with (id or identification or "serial number" or "serial no" or code)) and @ad<"19981101"	US-PGPUB; US-PGPUB; US-PGPUB; USPAT	©R OR	ON ON	2004/12/14 14:44
S14 0	44	(combin\$3) with ("source address" or "destination address" or "ip address" or "ip header") and (device with (id or identification or "serial number" or "serial no" or code)) and @ad<"19981101"	US PGPUB; USPAT	OR	ON	2004/12/14 16:39
S14 1	2	(combin\$3) with ("source address" or "destination address" or "ip address" or "ip header") same (device with (id or identification or "serial number" or "serial no" or code)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:01
S14 2	0	(secure with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) with ("ip address" or "ip header" or ((source or destination) near3 address)) with (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:03

S14 3	0	(secur\$3 with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) with ("ip address" or "ip header" or ((source or destination) near3 address)) with (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:04
S14 4	0	(secur\$3 with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) same ("ip address" or "ip header" or ((source or destination) near3 address)) with (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:05
S14 5	0	(secur\$3 with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) same ("ip address" or "ip header" or ((source or destination) near3 address)) same (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:04
S14 6	0	380/241.ccls. and ("ip address" or "ip header" or ((source or destination) near3 address)) same (device adj2 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:04
S14 7	244	(secur\$3 with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:30
S14 8	0	(secur\$3 with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) with (device near3 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:05

	T					
S14 9	0	(secur\$3 with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) with ("source address" or "destination address" or "ip address" or "ip header") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:06
S15 0	0	(secur\$3 with (ecommerce or "electronic commerce" or "online transaction" or "internet transaction" or "point of sale")) and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:06
S15 1	0	(receiption with transmission) with (secur\$3 near3 message) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:31
S15 2	284	(receiption or transmission) with (secur\$3 near3 message) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:32
S15 3	0	(receiption or transmission) with (secur\$3 near3 message) with (device near3 (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:32
S15 4	3	(receiption or transmission) with (secur\$3 near3 message) with (device with (id or identification or code or "serial no" or "serial number")) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:32
S15 5	46697	(device with (id or identification or "serial number" or "serial no" or code)) and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:38
S15 6	44	(device with (id or identification or "serial number" or "serial no" or code)) and 380/241.ccls. and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/14 16:39
S15 7	158	(combin\$3) with ("source address" or "destination address" or "ip address" or "ip header") and @ad<"19981101"	US-PGPUB; USPAT	OR	ON	2004/12/16 09:31
S15 8	44	S155 and S157	US-PGPUB; USPAT	OR	ON	2004/12/14 16:40